



VIDYASAGAR COLLEGE

NAAC ACCREDITED

39, SANKAR GHOSH LANE, KOLKATA-700 006

PHONE : (Principal) - (033) 2241-3018,

(Office) : (033) 2241-4447

● Website : www.vidyasagarcollege.edu.in

● E-mail : vidyasagarcollegekolkata@gmail.com

Ref. No.

Date :

Department of Chemistry

Vidyasagar College

39, Sankar Ghosh Lane,

Kolkata – 700006

Date: 20.04.2018

To
Messer's
Dear Sirs,

You are requested to submit your quotations for Water Demineraliser Plant to the drop box of college office on or before 07.05.18 between 12 Noon to 02.00 P.M in sealed cover, addressed to the Principal, Vidyasagar College, Kolkata, superscribing on the cover, "Quotations for Chemistry Department". You are requested to submit one soft copy in our e-mail ID vidyasagarcollegekolkata@gmail.com It is to be noted that manufactures or enlisted parties may submit quotations. The specification of the above mentioned plant is given below.

Type of the Plant	Capacity
Demineraliser Plant complete with iron removal filter and mixer bed exchanger.	500 litres per Regeneration @ 50 litres per hour.

Please Note:

1. All charges i.e. delivery charges and others should be inclusive. No extra charges will be entertained.
2. All the rates/prices of the item should be quoted with and without GST.
3. Price should be quoted by rounded figure. Bills are to be submitted according to the order.
4. Last date of submission of quotations may be extended beyond the last date stated above.
5. Manufacturer must submit their manufacture certificate along with the quotation.

Nirmalendu Mukhoti
20/04/18

Dr. Nirmalendu Mukhoti
HOD, Chemistry



Gautam Kundu
20/4/18

Dr. Gautam Kundu
Principal
Principal
Vidyasagar College
Calcutta-700006